

(Tabela 1 – Teste de normalidade)

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
As	,278	30	,000	,523	30	,000
Cd	,272	30	,000	,524	30	,000
Pb	,333	30	,000	,595	30	,000
MT	,118	30	,200 [*]	,967	30	,472
MDA	,220	30	,001	,796	30	,000
H2O2	,092	30	,200 [*]	,964	30	,390

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Hg	,129	24	,200 [*]	,947	24	,235

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

(Tabela 2 – Teste de Kruskal-Wallis)

Test Statistics ^{a,b}							
	As	Cd	Hg	Pb	MT	MDA	H2O2
Chi-Square	23,738	19,287	10,360	25,563	24,346	13,065	13,821
df	3	3	3	3	3	3	3
Asymp. Sig.	,000	,000	,016	,000	,000	,004	,003

a. Kruskal Wallis Test

b. Grouping Variable: Grupo

Hypothesis Test Summary				
	Null Hypothesis	Test	Sig.	Decision
1	The distribution of As is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,000	Reject the null hypothesis.
2	The distribution of Cd is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,000	Reject the null hypothesis.
3	The distribution of Hg is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,016	Reject the null hypothesis.
4	The distribution of Pb is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,000	Reject the null hypothesis.
5	The distribution of MT is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,000	Reject the null hypothesis.
6	The distribution of MDA is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,004	Reject the null hypothesis.
7	The distribution of H2O2 is the same across categories of Grupo.	Independent-Samples Kruskal-Wallis Test	,003	Reject the null hypothesis.


Asymptotic significances are displayed. The significance level is ,05.

(Tabela 3 - Correlações de Spearman)


[illegible]

(Tabela 4 – Descritiva metais e biomarcadores)


Case Processing Summary							
Grupo		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
As	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%
Cd	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%
Pb	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%
MT	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%
MDA	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%
H2O2	Caule	8	100,0%	0	0,0%	8	100,0%
	Pneumatóforo	7	100,0%	0	0,0%	7	100,0%
	Folha	8	100,0%	0	0,0%	8	100,0%
	Propágulo	7	100,0%	0	0,0%	7	100,0%



(Gráfico 1 - Concentração de MT nos tecidos)



(Gráfico 2 - Concentração de PL)



(Gráfico 3 - Concentração de H₂O₂)